

Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/15/2023 Reviewed on 05/11/2022

1 Identification

Product identifier
Trade name: Amasteel

Details of the supplier of the safety data sheet

Manufacturer/Supplier:
Ervin Industries, Inc.
3893 Reserch Park Drive
Ann Arbor, MI 48108-2217
Phone: (734)-769-4600/Fax: (734)-663-0136
sales @ervinindustries.com
http://www.ervinindustries.com
Information department:
Quality Assurance Department

(mo-thu: 8 a.m.-4 p.m., fr: 8 a.m. - 1 p.m.)

Emergency telephone number: Phone: (734)-769-4600/Fax: (734)-663-0136

EUPCS: PC-TEC-12

2 Hazard(s) identification

Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

Label elements

GHS label elements *Void*Hazard pictograms *Void*Signal word *Void*Hazard statements *Void*

nazaru statements voic

Classification system:

NFPA ratings (scale 0 - 4)

Health = 0 Fire = 0Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 0 Fire = 0 Reactivity = 0Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture: consisting of the following components.

Dangerous components:		
7440-44-0	carbon	0.80-1.20%
7439-96-5	manganese	0.35-1.20%
7440-21-3	silicon	0.40-1.50%
7704-34-9	sulfur	<0.05%
7440-02-0	Nickel	<0.2%
		Contd. on page 2)

– US –



Page 2/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/15/2023 Reviewed on 05/11/2022

Trade name: Amasteel

(Contd. of page 1)

7723-14-0 red phosphorus

<0.05%

4 First-aid measures

Description of first aid measures

General information: No special measures required.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Rinse with warm water.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water.

Consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed *No further relevant information available*. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

Use fire fighting measures that suit the environment.

For safety reasons unsuitable extinguishing agents: Water

Special hazards arising from the substance or mixture

Product is not flammable.

Fine metal dust removed as a waste stream and / or contamination during the blasting process,

poses a small minor risk of causing a fire or explosion.

Advice for firefighters

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Scrap and debris can cause slip and fall hazards. It is recommended that floors and work areas be kept clean at all times.

floors and work areas clean at all times.

Environmental precautions: No special measures required.

Methods and material for containment and cleaning up: Pick up mechanically.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

None

None

(Contd. on page 3)



Page 3/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/15/2023 Reviewed on 05/11/2022

Trade name: Amasteel

(Contd. of page 2)

Protective Action Criteria for Chemicals

PAC-1:		
_	manganasa	2 mg/m3
	manganese	3 mg/m³
7440-21-3		45 mg/m³
7440-44-0		6 mg/m³
7723-14-0	red phosphorus	0.27 mg/m³
7440-02-0	Nickel	6 mg/m³
PAC-2:		
7439-96-5	manganese	5 mg/m³
7440-21-3	silicon	100 mg/m³
7440-44-0	carbon	330 mg/m³
7723-14-0	red phosphorus	3 mg/m³
7440-02-0	Nickel	330 mg/m³
PAC-3:		
7439-96-5	manganese	1,800 mg/m³
7440-21-3	silicon	630 mg/m³
7440-44-0	carbon	2,000 mg/m³
7723-14-0	red phosphorus	18 mg/m³
7440-02-0	Nickel	2,000 mg/m³

7 Handling and storage

Handling:

Precautions for safe handling

Take special care to prevent the product from leaking. Exercise special care when removing the tie-down straps that are part of the bulk pallet shipments.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Storage class: 13

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Contd. on page 4)



Page 4/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/15/2023 Reviewed on 05/11/2022

Trade name: Amasteel

(Contd. of page 3)

7439-96-5 manganese

PEL | Ceiling limit value: 5 mg/m³ | as Mn |

REL | Short-term value: 3 mg/m³ | Long-term value: 1 mg/m³ | fume, as Mn |

TLV | Long-term value: 0.02* 0.1** mg/m³ | as Mn; A4, *respirable **inhalable fraction |

7440-21-3 silicon

PEL | Long-term value: 15* 5** mg/m³ | *total dust **respirable fraction |

REL | Long-term value: 10* 5** mg/m³ | *total dust **respirable fraction |

TLV | TLV withdrawn |

Regulatory information

PEL: Guide to Occupational Exposure Values (OSHA PELs) REL: Guide to Occupational Exposure Values (NIOSH RELs)

TLV: Guide to Occupational Exposure Values (TLV)

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter P2

Protection of hands: Leather gloves

Material of gloves Recommended thickness of the material: \geq - mm Penetration time of glove material Value for the permeation: Level \leq -

Eye protection: Safety glasses

Body protection: Protective work clothing

9 Physical and chemical properties

Appearance:		
Form:	Solid	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	1500 °C (2,732 °F) (~2700 °F)	
Boiling point/Boiling range:	3000 °C (5,432 °F) (~5400 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	

(Contd. on page 5)



Page 5/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/15/2023 Reviewed on 05/11/2022

Trade name: Amasteel

(Contd. of page 4)

Explosion limits:

Lower: Not determined.
Upper: Not determined.
Vapor pressure: Not applicable.

Density at 20 °C (68 °F):

Relative density

Vapor density

Evaporation rate

7.8 g/cm³ (65.09 lbs/gal)

Not determined.

Not applicable.

Not applicable.

Solubility in / Miscibility with

Water: Insoluble.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

Solvent content:

 VOC content:
 0.00 %

 Solids content:
 100.0 %

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: No irritant effect. on the eye: No irritating effect.

Sensitization:

Examination nickel release in accordance with DIN EN 1811: 2012-10: done

Sample Number 2016-00916 <0.1 µg per cm2 and week

therefore no sensitization detected

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Carcinogenic categories

IARC (International Agency for Research on Cancer)
--

7440-02-0 Nickel 1



Page 6/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/15/2023 Reviewed on 05/11/2022

Trade name: Amasteel

(Contd. of page 5)

	(Contd. of page 5)	
NTP (National Toxicology Program)		
7440-02-0 Nickel	R	
OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information: General notes: Not hazardous for water. Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations. completely emptied packaging in 25kg paper bag: paper recycling completely emptied packaging in big bags: commercial waste disposal completely emptied packaging in steel barrels: metal recycling

14 Transport information

UN-Number DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Void	
Packing group DOT, ADR, IMDG, IATA	Void	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		

(Contd. on page 7)



Page 7/8

Hazard statements *Void* National regulations:

Water hazard class: Generally not hazardous for water.

Safety Data Sheet acc. to OSHA HCS

Printing date 01/15/2023	Reviewed on 05/11/2022
Trade name: Amasteel	
	(Contd. of page 6
UN "Model Regulation": Void	
15 Regulatory information	
Safety, health and environmental regulations/legislatio Sara	n specific for the substance or mixture
Section 355 (extremely hazardous substances):	
7723-14-0 red phosphorus	
Section 313 (Specific toxic chemical listings):	
7439-96-5 manganese	
7723-14-0 red phosphorus	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
Hazardous Air Pollutants	
7439-96-5 manganese	
7723-14-0 red phosphorus	
Proposition 65 Warning: This product can expose you to chemicals incause cancer. For more information go to www.P65War	luding Nickel, which is known to the State of California to nings.ca.gov
Chemicals known to cause cancer:	
7440-02-0 Nickel	
Chemicals known to cause reproductive toxicity fo	r females:
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity fo	r males:
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Cancerogenity categories	
EPA (Environmental Protection Agency)	
7439-96-5 manganese	D
7723-14-0 red phosphorus	D
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safe	tv and Health)
None of the ingredients is listed.	-,,
GHS label elements Void	
Hazard pictograms Void	
Signal word Void	

Information about limitation of use: Employment restrictions concerning young persons must be observed.

(Contd. on page 8)



Page 8/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/15/2023 Reviewed on 05/11/2022

Trade name: Amasteel

(Contd. of page 7)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Motivo da mudança:

Version 2: 28.05.2015: Section 5.1 Extinguishing agents; 8.1 AGW measuring method.

Version 3: 06.09.2015: Section 1, 15, adaptation to the regulation 453/2015/EC, 830/2015/EU, 18/2012/EU

Version 4: 05.03.2016: Section 1.3 Version 5: 19.06.2016: Section 13 Version 6: 07.06.2019: Section 3, 8 Version 7: 16.02.2020: Section 13 Version 8: 18.02.2021: Section 1, 13, 15 Version 9: 11.05.2022: Section 2, 8, 15

Contact: Dr. W. Assmann

Date of preparation / last revision 01/15/2023

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of

Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

* Data compared to the previous version altered. Amasteel

Safety Data Sheet: AMASTEEL